## C l i a ing elibe a eR e ilience ing he C na i i ea e 2019P andemic

**Corona irus disease 2019 (COVID-19)** is affecting our health care community in unprecedented ways. As a pediatric oncologist who studies resilience in the context of illness, I started thinking about what this pandemic means for our professional resilience a few weeks ago, when the first US patient with fatal COVID-19 died in my home city of Seattle, Washington.

Promoting resilience among health care workers and organizations starts with understanding what resilience is (and what it is not). Historical psychology and social science suggested resilience was either a trait (eg, hardiness), a process (eg, adaptation), or an outcome (eg, the absence of posttraumatic stress or the presence of posttraumatic growth after a particular adversity). 1 The first and last conceptualizations are questionable. The potential for resilience is not a unique trait that one has or does not have; the capacity for resilience is inherent in all people. Resilience is not a single dichotomous outcome measured at a point; we can simultaneously experience posttraumatic stress and growth, and these (and other) outcomes dynamically evolve throughout our lives. Finally, both trait and outcome conceptualizations suggest resilience is something that happens to the fortunate and something we can hope for but not necessarily achieve. This is incorrect. Resilience is neither lucky nor passive. It takes deliberate effort.

Table, Evidence-Based Categories of Resilience Resources and P	lacallela Amelications in the Fra of Carama, in a Discosa 2010

Resilience resource			
category	Individual	Community	Existential
How to consider the resilience resource category	What do I (or we) do when times get hard?	Who helps me (or us) when times get hard?	Who do I (or we) want to be when this is over? What will it have meant for me (or us)?
Classic examples of the resilience resource category		r10 <b>:110stialiAdyloov</b> t,mperettuing)). ((haird)31 . TCT1-1);;	el-łobbrvi izketszewp Disson)) evello ֆոտու nye them.ngr 2f3

The process of resilience requires these deliberate actions. It is complicated and contextual. It is promotable. The pandemic of COVID-19 has already shown us how dramatically and quickly our world can shift in its approach to population health and individual patient needs. Many of us, as individuals and organizations, are in the beginning phase—the getting-through phase, the one-foot-infront-of-the-other phase. We can only imagine the end phase, the

looking-back phase. We cannot guess exactly what we will have learned. We can only know that none of us will forget.

So, let us now be proactive. Let us imagine our future narrative and direct ourselves toward its end. Let us harness our individual, community, and existential resources so that we not only navigate this experience but also continue to thrive. Let us ensure that when we look back on this story, we will be able to say we adapted well.

## ARTICLE INFORMATION

**Published Online:** April 14, 2020. doi:10.1001/jamapediatrics.2020.1436

**Conflict of Interest Disclosures:** Dr Rosenberg is supported by the National Institutes of Health (grants RO1 CA222486 and RO1 CA225629).

**Disclaimer:** The opinions presented in this manuscript are Dr Rosenberg's and do not necessarily represent those of the National Institutes of Health. There are no original data

presented in this essay; Dr Rosenberg takes responsibility for the interpretations of published data presented in the references.

## REFERENCES

1. Southwick SM, Bonanno GA, Masten AS, Panter-Brick C, Yehuda R. Resilience definitions, theory, and challenges: interdisciplinary perspectives. *Eur J Psychotraumatol.* 2014;5:5. doi:10.3402/ejpt.v5.25338

2. American Psychological Association. Building your resilience. Published February 1, 2020. Accessed March 10, 2020. https://www.apa.org/topics/resilience

om9. ( 3 ou(ors).yniqs

3. Panter-Brick C, Leckman JF. Editorial commentary: resilience in child development—interconnected pathways to wellbeing. *J Child Psychol Psychiatry*. 2013;54(4):333-336. doi:10.1111/jcsp.12057